AMENDMENT

IN THE CLAIMS:

- 1. (CANCELLED)
- (PREVIOUSLY PRESENTED) The window regulator according to claim 24, wherein the normal line is inclined at an angle of approximately 45° relative to the window-guiding direction.
- (PREVIOUSLY PRESENTED) The window regulator according to claim 24, wherein the
 first part and the second part are connected to each other by a connection that extends in a plane
 substantially perpendicular to a plane containing the window-guiding direction.
- (PREVIOUSLY PRESENTED) The window regulator according to claim 3, wherein the second part includes a hole for the passage of a member for fixing the lug onto the vehicle body.
- (PREVIOUSLY PRESENTED) The window regulator according to claim 4, wherein the hole is substantially oblong.
- (PREVIOUSLY PRESENTED) A window regulator according to claim 24, wherein the guide rail has ends, and the guide rail carries the lug at one of the ends.
- (PREVIOUSLY PRESENTED) The window regulator according to claim 6, further including a window slide guided by the guide rail.
- (PREVIOUSLY PRESENTED) The window regulator according to claim 6, wherein the guide rail is a window runner.

- 9. (CURRENTLY AMENDED) A vehicle body comprising:
 - a window regulator including:
 - a lug for fixing the window regulator:
- a guide rail <u>defining a window-guiding direction</u>, the <u>guide rail</u> including ends, wherein the guide rail carries the lug at one of the ends; and
 - a bridge fitting for fixing the window regulator in a vehicle body,
- wherein the lug includes a first part for fixing to the guide rail, and a second part defining a plane fixed by serwing-screwing onto the bridge fitting, the a screwing direction being a normal line substantially perpendicular to the plane, and the normal line is inclined relative to the window-guiding direction
- (PREVIOUSLY PRESENTED) The vehicle body according to the claim 9, wherein the bridge fitting includes a surface, and the normal line is substantially perpendicular to the surface.
- 11. (CANCELLED)
- (PREVIOUSLY PRESENTED) The window regulator as recited in claim 24, wherein the normal line and the window-guiding direction are non-parallel.
- 13-14. (CANCELLED)
- (PREVIOUSLY PRESENTED) The window regulator as recited in claim 24, wherein the second part is a planar portion.
- 16. (CANCELLED)
- 17. (PREVIOUSLY PRESENTED) The window regulator as recited in claim 6, wherein the normal line and the window-guiding direction are non-parallel.

- (CANCELLED)
- (PREVIOUSLY PRESENTED) The window regulator as recited in claim 6, wherein the second part is a planar portion.
- (CANCELLED)
- (PREVIOUSLY PRESENTED) The vehicle body as recited in claim 9, wherein the normal line and the window-guiding direction are non-parallel.
- (CANCELLED)
- 23. (PREVIOUSLY PRESENTED) The vehicle body as recited in claim 9, wherein the second part is a planar portion.
- (CURRENTLY AMENDED) A window regulator defining a window guiding window-guiding direction, the window regulator comprising:
 - a lug carried by a window regulator, the lug including:
 - a first part for fixing to a guide rail, and
 - a second part for fixing to a vehicle body, the second part defining a plane fixed by screwing onto the vehicle body of the <u>a</u>vehicle, a screwing direction being a normal line substantially perpendicular to the plane,
 - wherein the normal line is inclined relative to a window-guiding direction.
- (PREVIOUSLY PRESENTED) The window regulator as recited in claim 24, wherein the normal line is non-parallel and non-perpendicular to the window guiding direction.

- 26. (PREVIOUSLY PRESENTED) The window regulator as recited in claim 24, wherein an entirely of the second part of the lug is flat and planar.
- 27. (PREVIOUSLY PRESENTED) The window regulator as recited in claim 24, wherein no part of the second part of the lug is located outside of the plane.
- (CURRENTLY AMENDED) The window regulator as recited in claim 4, wherein the hole is completely surrounded by the-material of the second part.
- (PREVIOUSLY PRESENTED) The window regulator as recited in claim 24, wherein the second part contacts the vehicle body.